



inBuilt.



WALL LININGS

Raw Embossed Oak

Brochure

www.inbuilt.com.au



The inBuilt range of **WALL LININGS** panels adds an eye-catching feature to any interior.

This innovative and versatile decorative solution is suitable for all projects, large and small and is an ideal choice for adding a touch of elegance to any space.

This raw MDF panel features an embossed oak woodgrain surface that adds a natural and rustic look to projects, whilst the unfinished nature of the panel provides the flexibility to customise and embellish according to specific design requirements and colour preferences, ensuring that your interior space is unique and personalised.

Applications

The unique design and versatility of the inBuilt **WALL LININGS** panels make them a popular choice for a wide range of applications such as;

- Interior walls
- Reception counters and bar fronts
- General DIY applications

Features

- Embossed woodgrain surface creates depth and texture in any interior with the look and feel of natural raw timber
- Featuring a tongue and groove system that makes installation easy
- Cost-effective solution that can be finished with clear lacquer, paint, or lime-wash
- Provides a smooth and seamless look while concealing uneven surfaces
- Flexibility to be installed either vertically or horizontally
- Easily fixed over new stud frames or existing walls
- High impact resistance sheeting, 300% tougher than plasterboard
- Australian Made and manufactured from managed and renewable Australian plantation pine

Surface Finish



Raw Embossed Oak



Specifications

Size	Colour	Pack	Item No
Raw Embossed Oak			
12mm x 145mm x 2700mm	Raw Embossed Oak	4	493256

Profile



Tongue and Groove Raw Embossed Oak

CARE & MAINTENANCE

inBuilt's range of products are manufactured from the highest quality materials and designed to provide years of trouble free service.

inBuilt products are made from Moisture Resistant Medium Density Fibreboard (MR MDF) and Particleboard substrates and as with any wood based panel cannot be made totally waterproof, of which care should be taken to wipe up spills immediately, ensuring the products are not exposed to high or continuous levels of moisture, steam and humidity.

General Cleaning

Step 1. Wipe down using a damp soft cloth containing warm soapy water, followed by drying using a soft or microfibre cloth so as not to leave any residue on the door or panel. If this is sufficient there is no need for any further action.

Step 2. For more stubborn stains, use a good quality streak free glass cleaner as per the manufacturers recommendation. You may also use Methylated Spirit on a soft cloth, using a circular cleaning motion being careful not to rub too hard.

Step 3. Repeat Step 1 - Wipe down using a damp soft cloth containing warm soapy water, followed by drying using a soft or microfibre cloth so as not to leave any residue on the product.

Always ensure that you refer to the recommendations provided by the cleaning product manufacturer before use.

Avoid contact with sharp implements.

NOTE DO NOT use any of the following on inBuilt products: Commercial Cleaning Products, Abrasive Cleaners, Scouring Pads or Abrasive Papers, Acids and Alkalis, Solvents, Thinners, Turpentine (Turps), Ammonia, Bleach, Acetone, Easy-Off BAM!, M.E.K. or any other cleaning agents containing organic solvents or the above mentioned products.

